

Work Order ID 69677

Monday, May 16, 2011 9:26:32 AM



Page 1

Item ID: D6101-001

Accept



Setup Start



Revision ID:

Stop



Item Name: Saddle Billet

Start Date: 5/16/2011 Start Qty: ²⁰~~25.00~~

Cust Item ID:

Required Date: 5/27/2011 Req'd Qty: 25.00



Customer:

Reference:

Approvals:

Process Plan: CLDate: 11/05/16

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D6101

Rev B

100

0.00



PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 14107

a)Description: Alluminum billet

b) 6.00" x 6.250" x 2.00" thick

c) Tolerance on length are +0.030"/-0.000" E+/-0.008"

d) Grain direction along 6.00" length

e) Material: 7075-T7351 (QQ-A-250/12)

f)Material certification required

CL 11/05/17 20

110

0.00



Receive & Inspect for Damage & Mat'l Certs

Packaging

Memo

0.00

Packaging

Ensure material certification is attached

Pu/10/24 (20)

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE		By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	Corrective Action		Section B		Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng		Sign & Date			

NOTE: Date & initial all entries

Work Order ID 69677

Page 2

Monday, May 16, 2011 9:26:32 AM

Item ID: D6101-001

Accept



Setup Start



Revision ID:

Stop



Item Name: Saddle Billet

Start Date: 5/16/2011 Start Qty: 25.00



Cust Item ID:

Required Date: 5/27/2011 Req'd Qty: 25.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC6- Inspect dimensions to drawing

0.00



QC

Memo

0.00

Quality Control

Ensure Material certification comply to Dwg D

mk 11/05/26

20

/

130

Identify as per dwg & Stock Location: MAT

0.00



Packaging

Memo

0.00

Packaging

mk 11/05/26

20

/

140

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/5/26
mk
11-05-26

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE		By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	Corrective Action		Section B		Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng		Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Monday, May 16, 2011 9:26:29 AM

Page 1

Work Order ID: 69677



Parent Item: D6101-001



Parent Item Name: Saddle Billet

Start Date: 5/16/2011

Required Date: 5/27/2011

Start Qty: 25.00

Required Qty: 25.00

Comments: IPP B: ☐01.05.04☐New Issue☐EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D6101-001P

Purchased

No

110

Each

0.0000

1

20



7075-T7351 2X6X6.25

Handwritten signature and circled number 20

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE		By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	Corrective Action		Section B		Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng		Sign & Date			

NOTE: Date & initial all entries

SPECIFICATION CONTROL DRAWING



PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

B ACCEPTABLE SPECIFICATIONS FOR 7075-T7351 ALUMINUM ARE AMS-QQ-A-250/12, QQ-A-250/12, OR ASTM B209

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length
D6101-015	7075-T7351 (QQ-A-250/12)	9.450	6.250	2.500	Along 9.450 Length
D6101-017	7075-T7351 (QQ-A-250/12)	6.350	6.250	2.250	Along 6.350 Length

RELEASED
09/07/15/WJ

CL 11105116
W10:69677

B	ADDED D6101-015/-017, ADD ASTM B209	RF	09.04.23
A	NEW ISSUE	CP	01.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. REV. B	
MFG. APPR.	<i>[Signature]</i>	D6101 SHEET 1 OF 1	
APPROVED	<i>[Signature]</i>	TITLE SCALE	
DE APPR.	<i>[Signature]</i>	SADDLE BILLET, 7075 NTS	
DATE	09.04.23	<small>COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO14107

Purchase Order Date 5/17/2011

PO Print Date 5/17/2011

Page Number 1 of 3

Order From : VC-MET001
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100
TORONTO, ON M4Y 3A5
CA

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	514 694 9575	Requisition Nbr	
Vendor Fax	514 695 3281	Tax Resale Nbr	10127-2607
Vendor Account Nbr		Terms	Net 30
		Currency	CAD
		FOB	Destination-Collect

Ship To : DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
C 11/05/11

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	D6101-001P	7075-T7351 2X6X6.25	5/20/2011 Yes	20.00 Each	Yours ppd	\$45.1000	\$902.00
<p>Special Inst: AS PER DWG D6101 REV. B B69677 MATERIAL: 7075-T7351 AS PER QQ-A- 250/12 SIZE: 6.00" X 6.250" X 2.00" THICK GRAIN DIRECTION ALONG 6.00" LENGTH TOLERANCE ON LENGTH ARE +0.030" / +/-0.000"</p>							
2	D6101-001P	7075-T7351 2X6X6.25	6/1/2011 Yes	5.00 Each	Yours ppd	\$45.1000	\$225.50
<p>Special Inst: AS PER DWG D6101 REV. B B69700 MATERIAL: 7075-T7351 AS PER QQ-A- 250/12 SIZE: 6.00" X 6.250" X 2.00" THICK GRAIN DIRECTION ALONG 6.00" LENGTH TOLERANCE ON LENGTH ARE +0.030" / +/-0.008"</p>							

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 5/17/2011

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP

Page 1 of 1

Shipment No:820701

Ship From: Castle Metals MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 20-MAY-11	F.O.B. ORIGIN	Freight Terms Prepaid		Carrier MANITOULIN		BOL No 820701-2	

Shipment Details				Final Destination Branch - MON			
Order No 1402073	Line No 1	Item No 752237.MO	Description 2.0000.PL.7075.T7351.ALUMINUM.US1.48.5000.144.5000 CUT 2SIDED TO 6.25 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 6")) X 6 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 6")) - ALUMINUM PLATE SAW SPECIFICATIONS: QQ-A-250/12				
Purchase Order No PER RELEASE		Part Number YOUR ITEM NUMBER: D6101-001		Ordered Qty 20 PCS		Invoice Qty 20 PCS	
Details		ATTN MONTREAL: HOLD FOR RELEASE					
Delivery No. 77128315	Mill	Heat Number 506772A3	Mech Id	PCS 20	Width (IN)	Length (IN)	Shipped Qty (LBS) 154.83

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:	Date:	2014/07
--	-------	---------

**KAISER
ALUMINUM**

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4193016

ALLOY LIMITS

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075 MIN	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder**TEST NOTES**

7075-T7351 plate 3.501-4.000" thick, if
ultrasonically inspected, meets requirements of CMMP025 per
SDR CMMP025-KaiserT-3. 7075-T7351 plate 4.001-5.000" thick,
if ultrasonically inspected, meets requirements of CMMP025
per
SDR CMMP025-KaiserT-2.

Metal represented by this test report was immersion
ultrasonically tested from one side and meets the Class A
and Class B requirements of all specifications referenced
on this test report.

Castle Metals FP

HEAT NUMBER 506772 A3
MECHANICAL ID _____
ITEM CODE 6857
LOT NUMBER _____
PO NUMBER 45811
RECEIPT DATE 5-11-2010
SUPPLIER KAISER
SPECIFICATION _____
LCS NO
COMMENT _____
APPROVED BL

CERTIFICATION

KAISER ALUMINUM FABRICATED PRODUCTS, LLC (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED IN THE UNITED STATES OF AMERICA OR A QUALIFYING COUNTRY PER OFARS 225.872-1(a), WAS MANUFACTURED IN THE UNITED STATES OF AMERICA, AND MEETS THE REQUIREMENTS OF OFARS 252.225 FOR DOMESTIC CONTENT. THIS MATERIAL HAS BEEN INSPECTED, TESTED, AND FOUND IN CONFORMANCE WITH THE REQUIREMENTS OF THE APPLICABLE SPECIFICATIONS AS INDICATED HEREIN. ALL METAL WHICH IS SOLUTION HEAT TREATED COMPLIES WITH AMS 2772. ANY WARRANTY IS LIMITED TO THAT SHOWN ON KAISER'S STANDARD GENERAL TERMS AND CONDITIONS OF SALE. TEST REPORTS SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF KAISER ALUMINUM FABRICATED PRODUCTS, LLC LABORATORY. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTIRE ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. ISO-9001:2000 CERTIFIED.

BILL POYNOR, LABORATORIES SUPERVISOR

Bill Poy

SHIP TO: A M CASTLE & CO 3400 NO. WOLF ROAD FRANKLIN PARK, IL 60131
SOLD TO: AM CASTLE & CO- SOLD TO 3400 NO. WOLF ROAD FRANKLIN PARK, IL 60131

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4193016

CUSTOMER PO NUMBER: 45811	WORK PACKAGE:	CUSTOMER PART NUMBER: 6857 AMC A97075-160	SHIP RUN/LOAD: 101791/19	GOV'T CONTRACT NUMBER:		
KAISER ORDER NO: 1096361	LINE ITEM: 1	SHIP DATE: 7-MAY-2010	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: Sawed Plate
WEIGHT SHIPPED: 8224 LB	QUANTITY: 6 PCS EST.	B/L NUMBER: 2027222	GUAGE: 2.0000 IN	DIAMETER/WIDTH: 48.500 IN	LENGTH: 144.500 IN	

Certified Specifications

AMS 4078/RevG
ASTM B 209/Rev07
BSS 7055/RevA
DPS 4.713/RevAH
MMS 159/RevN

AMS-QQ-A-250/12
ASTM B 594/Rev06
CMMP 025/RevS
GAMPS 9101/RevB
PS 21211/RevK

AMS-STD-2154
BAC 5439/RevH
CSTI 006/RevC
GSS16100/RevG/Amd1

Test Code: 4297

Test Results

Lot: 506772A3 Cast 314

Drop 04

Ingot 2

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	72.5 : 72.6 (500 : 501)	61.3 : 61.8 (423 : 426)	12.5 : 13.3

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	41.3 Min	41.9 Max
(MS/M) :	24.0 Min	24.3 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.09	0.17	1.4	0.04	2.4	0.20	5.5	0.04	0.01	0.01	TOT 0.05